

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURA140086887-EXPRESS
APPLICANT NAME : Samir Emprime Tekstil İnş.Gıda.Turz.Tic.Ltd.Şti
ADDRESS : 10006 Sok. No:58/D Atatürk Organize Sanayi Böl.Çiğili İzmir /
TEL:0 232 328 19 99FAX:0 232 328 19 97
Attention : Gökhan Karataş (samirbaski@hotmail.com)
SAMPLE DESCRIPTION : One sample of OP 531 Orange (Batch no:2013.01126) Printed panel
DATE IN : 5 June ,2014 (8:00)
DATE OUT : 6 June ,2014
BUYER'S NAME : INDITEX

TEST	SAMPLE
Detection of Amines Derived From Azocolourants and Azodyes	1 P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE

The test results relate only to the items tested. The whole and/or the part of this test report shall not be reproduced and shall not be shared with third parties, nor to be used for PR activities without the written permission of INTERTEK Test Hizmetleri A.S.

The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.

Aşkın GÜNERİ
COORDINATOR

Neslihan Sözer
Chemical Laboratory Manager



Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekg.turkiye@intertek.com
<http://www.intertek-turkey.com>



140086887

Test Method	Results	Requirements
Detection of Amines Derived From Azocolourants and Azodyes		
Test Method : BS EN 14362 - 1 : 2012 for Textile Material		
By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis.		
1-Orange print (without extraction)		<20 ppm

RESULTS

<u>FORBIDDEN AMINE</u>	<u>CAS NO</u>	<u>1</u>
4-AMINOBIHENYL	92-67-1	N
BENZIDINE	92-87-5	N
CHLORO-O-4-CHLOR-O-TOLUIDINE	95-69-2	N
2-NAPHTHYLAMINE	91-59-8	N
*O-AMINOAZOTOLUENE	97-56-3	N
*2-AMINO-4-NITROTOLUENE	99-55-8	N
P-CHLOROANILINE	106-47-8	N
2,4-DIAMINOANISOLE	615-05-4	N
4,4'-DIAMINOBIHENYLMETHANE	101-77-9	N
3,3'-DICHLOROBENZIDINE	91-94-1	N
3,3'-DIMETHOXYBENZIDINE	119-90-4	N
3,3'-DIMETHYLBENZIDINE	119-93-7	N
3,3'-DIMETHYL-4,4' DIAMINOBIHENYLMETHANE	838-88-0	N
P-CRESIDINE	120-71-8	N
4,4'-METHYLENE-BIS-(2 CHLOROANILINE)	101-14-4	N
4,4'-OXYDIANILINE	101-80-4	N
4,4'-THIODIANILINE	139-65-1	N
O-TOLUIDINE	95-53-4	N
2,4-TOLUENDIAMINE	95-80-7	N
2,4,5-TRIMETHYLANILINE	137-17-7	N
O-ANISIDINE	90-04-0	N
**P-AMINOAZOBENZENE	60-09-3	N
2,4 XYLIDINE	95-68-1	N
2,6 XYLIDINE	87-62-7	N

Note:

- 1)The amines o-amino-azotoluene and 2-amino-4-nitrotoluene are detected by its splitted product o-toluidine and 2,4- toluenediamine.
- 2)Azo colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4- phenyldiamine . The presence of these colorants can not be reliably ascertained without additional information, e.g. chemical structure of the colorant used.
- 3)According to EN 14362-1:2012, separate test is suggested to ascertain the compliance for result of mixed test in the range between 5 ppm and 30 ppm.
- 4)**Azocolourants Content Requirement In Annex XVII Item 43 Of The REACH Regulation (EC) NO. 1907/2006 & Amendment No. 552/2009 and 126/2013 (Formerly Known As Directive 2002/61/EC**
ppm : part per million (mg/kg) Detection Limit: 5 ppm < = Less Than N: Not Detected NC : No Comment

Estimated Total Uncertainty=(±9%)





END OF TEST REPORT