

TEST REPORT

REPORT NUMBER : TURA140080885_REVISED01
APPLICANT NAME : Samir Emprime Tekstil İnş.Gıda.Turz.Tic.Ltd.Şti
Attention : Gökhan Karataş (samirbaski@hotmail.com)
SAMPLE DESCRIPTION : One sample of Fuchsia printed white knitted panel(OP 564 Carmine Red (Batch No:2013.09139) Printed panel)
DATE IN : 26 May ,2014 (13:59)
DATE OUT : 28 May ,2014 /29 May ,2014
NOTE : In this revised 01 report, sample picture was added by the request of the vendor. This report replaced the report no TURA140080885 dated on 28 May, 2014 and must be used instead of it. Report no TURA140080885 dated on 28 May, 2014 is invalid.

| TEST | SAMPLE |
|--|--------|
| Determination of Free and Hydrolised Formaldehyde Test (Water extraction method) | 1 P |


P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE

The test results relate only to the items tested. The whole and/or the part of this test report shall not be reproduced and shall not be shared with third parties, nor to be used for PR activities without the written permission of INTERTEK Test Hizmetleri A.S.

The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.



Sefa MURAT
COORDINATOR



Neslihan Sözer
Chemical Laboratory Manager



Intertek Test Hizmetleri A.S.
 Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
 Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
 e-mail : intertekg.turkiye@intertek.com
<http://www.intertek-turkey.com>



140080885_REV01

| Test Method | Results | Requirements |
|---|------------|--------------|
| Determination of Free and Hydrolised Formaldehyde Test (Water extraction method) | | |
| BS EN ISO 14184 - 1 :2011 Free and Hydrolized Formaldehyde by UV-VIS Analysis | 10 ppm | <75 ppm* |
| *Eco Testing Standard for Textiles | | |
| ppm (part per million) | =mg / kg | |
| Detection Limit | =5 ppm | |
| < | =Less Than | |
| Estimated Total Uncertainty=(±6%) | | |
| Note :Sample was received unsealed | | |



END OF TEST REPORT